

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier:

ULTRA FOAM CAMELEON

Other means of identification:

Non-applicable

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Relevant uses: Washing of vehicles.. For professional users only.

Uses advised against: All uses not specified in this section or in section 7.3

1.3 Details of the supplier of the safety data sheet:

P.P.H.U. "ORION" Paweł Długosz Barycz 42 A 95-082 Dobroń - Polska Phone: 793310770 sales@orion-chemia.eu www.orion-chemia.eu

1.4 Emergency telephone number: 112

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture:

CLP Regulation (EC) No 1272/2008:

Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.

Eye Irrit. 2: Eye irritation, Category 2, H319

2.2 Label elements:

CLP Regulation (EC) No 1272/2008:



\checkmark

Hazard statements:

Eye Irrit. 2: H319 - Causes serious eye irritation.

Precautionary statements:

P264: Wash thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/protective footwear.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical advice/attention.

UFI: U020-K0P2-U009-1W0E

2.3 Other hazards:

Product fails to meet PBT/vPvB criteria

Endocrine-disrupting properties: The product fails to meet the criteria.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substance:

Non-applicable

3.2 Mixture:

Chemical description: Aqueous mixture composed of chemical products for cleaning products

Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation



ULTRA FOAM CAMELEON



SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)

	Identification		Chemical name/Classification			
CAS: 97489-15-1		Sulfonic acids, C14-1	17-sec-alkane, sodium salts ⁽¹⁾ Self-classified			
EC: Index: REACH:	307-055-2 Non-applicable 01-2119489924-20- XXXX	Regulation 1272/2008	Acute Tox. 4: H302; Aquatic Chronic 3: H412; Eye Dam. 1: H318; Skin Irrit. 2: H315 - Danger	2,5 - <5 %		
CAS: 64-02-8		tetrasodium ethylen	um ethylene diamine tetraacetate ⁽¹⁾ ATP ATP01			
EC: Index: REACH:	200-573-9 607-428-00-2 01-2119486762-27- XXXX	Regulation 1272/2008	Acute Tox. 4: H302; Eye Dam. 1: H318 - Danger	2,5 - <5 %		
CAS:	308062-28-4	Amines, C12-14 -alky	yldimethyl , N-Oxides ⁽¹⁾ Self-classified			
EC: 931-292-6 Index: Non-applicable REACH: 01-2119490061-47- XXXX		Regulation 1272/2008	Acute Tox. 4: H302; Aquatic Acute 1: H400; Aquatic Chronic 2: H411; Eye Dam. 1: H318; Skin Irrit. 2: H315 - Danger	<2 %		

(1) Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

Other information:

Identification	Specific concentration limit
CAS: 97489-15-1	% (w/w) >=10: Skin Irrit. 2 - H315 % (w/w) >=15: Eye Dam. 1 - H318 10<= % (w/w) <15: Eye Irrit. 2 - H319

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

This product does not contain substances classified as hazardous for inhalation, however, in case of symptoms of intoxication remove the person affected from the exposure area and provide with fresh air. Seek medical attention if the symptoms get worse or persist.

By skin contact:

This product is not classified as hazardous when in contact with the skin. However, in case of skin contact it is recommended to remove contaminated clothes and shoes, rinse the skin or if necessary shower the affected person thoroughly with cold water and neutral soap. In case of serious reaction consult a doctor.

By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.



SECTION 5: FIREFIGHTING MEASURES (continued)

Unsuitable extinguishing media:

Non-applicable

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection.

For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

6.2 Environmental precautions:

Avoid spillage into the aquatic environment as it contains substances potentially dangerous for this. Contain the product absorbed in hermetically sealed containers. In the case of serious spillage into the aquatic environment notify the relevant authority.

6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Product is non-flammable under normal conditions of storage, handling and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Minimum Temp.: 5 °C



SECTION 7: HANDLING AND STORAGE (continued)

Maximum Temp.: 25 °C

Maximum time: 12 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

There are no applicable occupational exposure limits for the substances contained in the product

DNEL (Workers):

		Short e	xposure	Long e	xposure
Identification		Systemic	Local	Systemic	Local
Sulfonic acids, C14-17-sec-alkane, sodium salts	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 97489-15-1	Dermal	Non-applicable	Non-applicable	5 mg/kg	Non-applicable
EC: 307-055-2	Inhalation	Non-applicable	Non-applicable	35 mg/m ³	Non-applicable
tetrasodium ethylene diamine tetraacetate	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 64-02-8	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 200-573-9	Inhalation	Non-applicable	3 mg/m ³	Non-applicable	1,5 mg/m ³
Amines, C12-14 -alkyldimethyl , N-Oxides	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 308062-28-4	Dermal	Non-applicable	Non-applicable	11 mg/kg	Non-applicable
EC: 931-292-6	Inhalation	Non-applicable	Non-applicable	6,2 mg/m ³	Non-applicable

DNEL (General population):

		Short exposure		Long exposure	
Identification		Systemic	Local	Systemic	Local
Sulfonic acids, C14-17-sec-alkane, sodium salts	Oral	Non-applicable	Non-applicable	7,1 mg/kg	Non-applicable
CAS: 97489-15-1	Dermal	Non-applicable	Non-applicable	3,57 mg/kg	Non-applicable
EC: 307-055-2	Inhalation	Non-applicable	Non-applicable	12,4 mg/m ³	Non-applicable
tetrasodium ethylene diamine tetraacetate	Oral	Non-applicable	Non-applicable	25 mg/kg	Non-applicable
CAS: 64-02-8	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 200-573-9	Inhalation	Non-applicable	1,2 mg/m ³	Non-applicable	0,6 mg/m ³
Amines, C12-14 -alkyldimethyl , N-Oxides	Oral	Non-applicable	Non-applicable	0,44 mg/kg	Non-applicable
CAS: 308062-28-4	Dermal	Non-applicable	Non-applicable	5,5 mg/kg	Non-applicable
EC: 931-292-6	Inhalation	Non-applicable	Non-applicable	1,53 mg/m ³	Non-applicable

PNEC:

Identification				
Sulfonic acids, C14-17-sec-alkane, sodium salts	STP	600 mg/L	Fresh water	0,06 mg/L
CAS: 97489-15-1	Soil	9,4 mg/kg	Marine water	0,006 mg/L
EC: 307-055-2	Intermittent	0,06 mg/L	Sediment (Fresh water)	9,4 mg/kg
	Oral	0,0533 g/kg	Sediment (Marine water)	0,94 mg/kg
tetrasodium ethylene diamine tetraacetate	STP	43 mg/L	Fresh water	2,2 mg/L
CAS: 64-02-8	Soil	0,72 mg/kg	Marine water	0,22 mg/L
EC: 200-573-9	Intermittent	1,2 mg/L	Sediment (Fresh water)	Non-applicable
	Oral	Non-applicable	Sediment (Marine water)	Non-applicable



Safety data sheet This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation



ULTRA FOAM CAMELEON

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

Identification				
Amines, C12-14 -alkyldimethyl , N-Oxides	STP	24 mg/L	Fresh water	0,034 mg/L
CAS: 308062-28-4	Soil	1,02 mg/kg	Marine water	0,003 mg/L
EC: 931-292-6	Intermittent	0,034 mg/L	Sediment (Fresh water)	5,24 mg/kg
	Oral	0,0111 g/kg	Sediment (Marine water)	0,524 mg/kg

8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory hand protection	Protective gloves against minor risks	CATI		Replace gloves in case of any sign of damage. For prolonged periods of exposure to the product for professional users/industrials, we recommend using CE III gloves in line with standards EN 420:2004+ A1:2010 and EN ISO 374-1:2016+A1:2018

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

D.- Eye and face protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory face protection	Panoramic glasses against splash/projections.	CAT II	EN 166:2002 EN ISO 4007:2018	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.

E.- Body protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
	Work clothing	CATI		Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994.
	Anti-slip work shoes		EN ISO 20347:2012	Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 20345:2012 y EN 13832-1:2007

F.- Additional emergency measures

Emergency measure	Standards	Emergency measure	Standards
	ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011	● + ►	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011
Emergency shower		Eyewash stations	

Environmental exposure controls:

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

Volatile organic compounds:

With regard to Directive 2010/75/EU, this product has the following characteristics:

V.O.C. (Supply):

0 % weight





SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

V.O.C. density at 20 °C:0 kg/m³ (0 g/L)Average carbon number:Non-applicableAverage molecular weight:Non-applicable

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

For complete information see the product datasheet. Appearance: Liquid Appearance: Fluid Colour: Pleasant Odour threshold: Non-applicable * Odour threshold: Non-applicable * Valatility: Bolling point at atmospheric pressure: 100 °C Vapour pressure at 20 °C: 2350 Pa Vapour pressure at 20 °C: 2351 Df a (12,38 kPa) Evaporation rate at 20 °C: Non-applicable * Product description: 1045.6 kg/m ³ Relative density at 20 °C: 1045.6 kg/m ³ Relative density at 20 °C: Non-applicable * Dynamic viscosity at 20 °C: Non-applicable * Concentration: Non-applicable * Dynamic viscosity at 20 °C: Non-applicable * Concentration: Non-applicable * Protico description: Non-applicable * Decomposition temperature: Non-applicable * Solubility in water at 20 °C: Non-applicable *	9.1	Information on basic physical and chemical p	roperties:
Physical state at 20 °C: Liquid Appearance: Fluid Colour: Turquose Colour: Pleasant Colour: Non-applicable * Odour threshold: Non-applicable * Valility: Valuility: Boling point at atmospheric pressure: 100 °C Vapour pressure at 20 °C: 2350 Pa Vapour pressure at 20 °C: Non-applicable * Product desription: 1045 /s kg/m³ Relative density at 20 °C: 1045 /s kg/m³ Relative density at 20 °C: Non-applicable * Ornentration: Non-applicable * Concentration: Non-applicable * Concentration: Non-applicable * Vapour density at 20 °C: Non-applicable * PH: 7 - 8 Vapour density at 20 °C: Non-applicable * Solubility in water at 20 °C: Non-applicable * Partition coefficient n-octanol/water 20 °C: Non-applicable * Solubility in water at 20 °C: Non-applicable * Solubility in water at 20 °C: Non-applicable * Partition coefficient n-octanol/water 20 °C: Non-applicable * <th></th> <th>For complete information see the product datasheet</th> <th>t.</th>		For complete information see the product datasheet	t.
Appearance: Fuid Colour: Turquoise Odour threshold: Non-applicable * Odour threshold: Non-applicable * Valility: 2350 Pa Vapour pressure at 20 °C: 2350 Pa Vapour pressure at 20 °C: 2350 Pa Vapour pressure at 20 °C: Non-applicable * Product description: 10956 kg/m³ Density at 20 °C: Non-applicable * Ratative density at 20 °C: 1,045 Namatic viscosity at 20 °C: Non-applicable * Kinematic viscosity at 20 °C: Non-applicable * Kinematic viscosity at 20 °C: Non-applicable * Kinematic viscosity at 20 °C: Non-applicable * Vapour density at 20 °C: Non-applicable * Subbility in water at 20 °C: Non-app		Appearance:	
Colour: Turquoise Colour: Pleasant Odour threshold: Non-applicable * Boiling point at atmospheric pressure: 100 °C Valatility: 2350 Pa Vapour pressure at 20 °C: 2350 Pa Vapour pressure at 20 °C: 0xon-applicable * Product description: Non-applicable * Density at 20 °C: 1045,6 kg/m³ Relative density at 20 °C: 1046 Dynamic viscosity at 20 °C: 1046,6 Dynamic viscosity at 20 °C: Non-applicable * Kinematic viscosity at 20 °C: Non-applicable * Vapour density at 20 °C: Non-applicable * Vapour density at 20 °C: Non-applicable * Vapour density at 20 °C: Non-applicable * Solubility invater at 20 °C: Non-applicable * Decomposition temperature: Non-applicable * Solubility invater at 20 °C: Non-applicable * <		Physical state at 20 °C:	Liquid
Odour: Pleasent Odour threshold: Non-applicable * Odour threshold: Non-applicable * Volatility: 100 °C Vapour pressure at 20 °C: 2350 Pa Vapour pressure at 50 °C: 12381,01 Pa (12,38 kPa) Evaporation rate at 20 °C: Non-applicable * Product description: 1045,6 kg/m³ Product description: 1045,6 kg/m³ Relative density at 20 °C: 1,046 Dynamic viscosity at 20 °C: 1,046 Dynamic viscosity at 20 °C: Non-applicable * Concentration: Non-applicable * Kinematic viscosity at 20 °C: Non-applicable * Kinematic viscosity at 20 °C: Non-applicable * Vapour density at 20 °C: Non-applicable * Pit: 7 8 Vapour density at 20 °C: Non-applicable * Pit: 7 8 Vapour density at 20 °C: Non-applicable * Solubility invoperties: Non-applicable * Solubility properties: Non-applicable * Partition coefficient n-octanol/water 20 °C: Non-applicable * Solubility properties: Non-applicable * Beambability (solid, gas): Non-applicable * Autoignition temperature: Non-applicable * Autoignition		Appearance:	Fluid
Odour threshold: Non-applicable * Volatility:		Colour:	Turquoise
Volatility: Boiling point at atmospheric pressure: 100 °C Vapour pressure at 20 °C: 2350 Pa Vapour pressure at 50 °C: 12381,01 Pa (12,38 kPa) Evaporation rate at 20 °C: 12381,01 Pa (12,38 kPa) Product description: Density at 20 °C: Density at 20 °C: 1045,6 kg/m³ Relative density at 20 °C: 1,046 Dynamic viscosity at 20 °C: Non-applicable * Kinematic viscosity at 20 °C: Non-applicable * Concentration: Non-applicable * Concentration: Non-applicable * Vapour description: Non-applicable * PH: 7 - 8 Vapour density at 20 °C: Non-applicable * Concentration: Non-applicable * Solubility in water at 20 °C: Non-applicable * Solubility in water at 20 °C: Non-applicable * Solubility properties: Highly water-soluble Solubility in water at 20 °C: Non-applicable * Solubility properties: Highly water-soluble Decomposition temperature: Non-applicable * Kinematility (solid, gas): Non Flammability (solid, gas): <td< th=""><th></th><th>Odour:</th><th>Pleasant</th></td<>		Odour:	Pleasant
Boiling point at atmospheric pressure: 100 °C Vapour pressure at 20 °C: 2350 Pa Vapour pressure at 20 °C: 12381,01 Pa (12,38 kPa) Evaporation rate at 20 °C: Non-applicable * Postig at 20 °C: 1045,6 kg/m³ Relative density at 20 °C: 1,046 Dynamic viscosity at 20 °C: Non-applicable * Kinematic viscosity at 20 °C: Non-applicable * Kinematic viscosity at 20 °C: Non-applicable * Concentration: Non-applicable * Policable * Non-applicable * Vapour density at 20 °C: Non-applicable * Portition coefficient n-octanol/water 20 °C: Non-applicable * Vapour density at 20 °C: Non-applicable * Vapour density at 20 °C: Non-applicable * Partition coefficient n-octanol/water 20 °C: Non-applicable * Solubility in water at 20 °C: Non-applicable * Partition coefficient n-octanol/water 20 °C: Non-applicable * Solubility in point/freezing point: Non-applicable * Partition coefficient n-octanol/water 20 °C: Non-applicable * Imamability: Non-applicable * Imamability innit: Non-applica		Odour threshold:	Non-applicable *
Vapour pressure at 20 °C: 2350 Pa Vapour pressure at 20 °C: 12381,01 Pa (12,38 kPa) Evaporation rate at 20 °C: Non-applicable * Product description: 1045,6 kg/m³ Relative density at 20 °C: 1045,6 kg/m³ Relative density at 20 °C: Non-applicable * Dynamic viscosity at 20 °C: Non-applicable * Kinematic viscosity at 20 °C: Non-applicable * Kinematic viscosity at 20 °C: Non-applicable * Concentration: Non-applicable * pH: 7 - 8 Vapour density at 20 °C: Non-applicable * Partition coefficient n-octanol/water 20 °C: Non-applicable * Vapour density at 20 °C: Non-applicable * Partition coefficient n-octanol/water 20 °C: Non-applicable * Solubility in water at 20 °C: Non-applicable * Solubility in water at 20 °C: Non-applicable * Partition coefficient n-octanol/water 20 °C: Non-applicable * Solubility in water at 20 °C: Non-applicable * Partition coefficient n-octanol/water 20 °C: Non-applicable * Partition coefficient n-octanol/water 20 °C: Non-applicable * Idash Point:		Volatility:	
Non-applicable %Evaporation rate at 20 %:Non-applicable %Foduct description:1045,6 kg/m³Density at 20 %:1045,6 kg/m³Relative density at 20 %:1046Dynamic viscosity at 20 %:Non-applicable %Kinematic viscosity at 20 %:Non-applicable %Kinematic viscosity at 40 %:Non-applicable %Concentration:Non-applicable %Partition coefficient n-octanol/water 20 %:Non-applicable %Solubility in water at 20 %:Non-applicable %Solubility inporties:Non-applicable %Solubility inporties:Non-applicable %Bernmability:Non-applicable %Hefting point/freezing point:Non-applicable %Informability (solid, gas):Non-applicable %Lower flammability limit:Non-applicable %Lower flammability limit:Non-applicable %Informability limit:Non-applicable %Informability limit:Non-applicable %Informability limit:Non-applicable %Informability limit:Non-applicable %Information:Non-applicable % <trr></trr>		Boiling point at atmospheric pressure:	100 °C
Evaporation rate at 20 °C: Non-applicable * Product description: 1045,6 kg/m³ Density at 20 °C: 1,046 Dynamic viscosity at 20 °C: Non-applicable * Kinematic viscosity at 20 °C: Non-applicable * Kinematic viscosity at 20 °C: Non-applicable * Concentration: Non-applicable * Ocnentration: Non-applicable * pH: 7 - 8 Vapour density at 20 °C: Non-applicable * pH: 7 - 8 Vapour density at 20 °C: Non-applicable * Solubility in water at 20 °C: Non-applicable * Becomposition temperature: Non-applicable * Partition coefficient n-octanol/water 20 °C: Non-applicable * Meting point/freezing point: Non-applicable * Partition coefficient n-octanol/water 20 °C: Non-applicable * Immability (solid, gas): Non-applicable * Immability inst: Non-ap		Vapour pressure at 20 °C:	2350 Pa
Product description: Density at 20 °C: 1045,6 kg/m ³ Relative density at 20 °C: Non-applicable * Dynamic viscosity at 20 °C: Non-applicable * Kinematic viscosity at 20 °C: Non-applicable * Concentration: Non-applicable * PH: 7 - 8 Vapour density at 20 °C: Non-applicable * PH: 7 - 8 Vapour density at 20 °C: Non-applicable * Ph: 0 - applicable * Solubility in water at 20 °C: Non-applicable * Solubility properties: Non-applicable * Solubility properties: Non-applicable * Percomposition temperature: Non-applicable * Meting point/freezing point: Non-applicable * Immability (solid, gas): Non-applicable * Lower flammability limit: Non-applicable * Lower flammability limit: Non-applicable * Lower flammability limit: Non-applicable * Upper flammability limit:<		Vapour pressure at 50 °C:	12381,01 Pa (12,38 kPa)
Density at 20 °C:1045,6 kg/m³Relative density at 20 °C:1,046Dynamic viscosity at 20 °C:Non-applicable *Kinematic viscosity at 20 °C:Non-applicable *Concentration:Non-applicable *Dynu density at 20 °C:Non-applicable *PH:7 - 8Vapour density at 20 °C:Non-applicable *Solubility in water at 20 °C:Non-applicable *Bertimo coefficient n-octanol/water 20 °C:Non-applicable *Solubility properties:Non-applicable *Solubility in water at 20 °C:Non-applicable *Bertimo coefficient n-octanol/water 20 °C:Non-applicable *Solubility in water at 20 °C:Non-applicable *Solubility in water at 20 °C:Non-applicable *Bertimo properties:Non-applicable *It per fammability:Non-applicable *It per fammability:Non-applicable *It per fammability (solid, gas):Non-applicable *It per fammability limit:Non-applicable * <t< th=""><th></th><th>Evaporation rate at 20 °C:</th><th>Non-applicable *</th></t<>		Evaporation rate at 20 °C:	Non-applicable *
Relative density at 20 °C: 1,046 Dynamic viscosity at 20 °C: Non-applicable * Kinematic viscosity at 20 °C: Non-applicable * Kinematic viscosity at 40 °C: Non-applicable * Concentration: Non-applicable * pH: 7 - 8 Vapour density at 20 °C: Non-applicable * PH: 7 - 8 Vapour density at 20 °C: Non-applicable * Partition coefficient n-octanol/water 20 °C: Non-applicable * Solubility in water at 20 °C: Non-applicable * Melting point/freezing point: Non-applicable * Melting point/freezing point: Non-applicable * Autoignition temperature: Non-applicable * Lower flammability [imit: Non-applicable * Upper flammability limit: Non-applicable * Upper flammability limit: Non-applicable * Median equivalent d		Product description:	
Image: Provision of the second of the seco		Density at 20 °C:	1045,6 kg/m ³
Kinematic viscosity at 20 °C: Non-applicable * Kinematic viscosity at 40 °C: Non-applicable * pH: 7 - 8 pH: 7 - 8 Vapour density at 20 °C: Non-applicable * Solubility in water at 20 °C: Non-applicable * Solubility in water at 20 °C: Non-applicable * Solubility properties: Non-applicable * Solubility properties: Non-applicable * Solubility properties: Non-applicable * Percomposition temperature: Non-applicable * Melting point/freezing point: Non-applicable * Flammability: Non-applicable * Imposition temperature: Non-applicable *		Relative density at 20 °C:	1,046
Kinematic viscosity at 40 °C: Non-applicable * Concentration: Non-applicable * pH: 7 - 8 Vapour density at 20 °C: Non-applicable * Partition coefficient n-octanol/water 20 °C: Non-applicable * Solubility in water at 20 °C: Non-applicable * Solubility properties: Non-applicable * Solubility properties: Non-applicable * Decomposition temperature: Non-applicable * Melting point/freezing point: Non-applicable * Flammability: Non-applicable * Immability (solid, gas): Non-applicable * Autoignition temperature: Non-applicable * Immability (solid, gas): Non-applicable * Immability limit: Non-applicable * Immability limit: Non-applicable * Imequivalent diameter: Non-appl		Dynamic viscosity at 20 °C:	Non-applicable *
Concentration: Non-applicable * pH: 7 - 8 Vapour density at 20 °C: Non-applicable * Partition coefficient n-octanol/water 20 °C: Non-applicable * Solubility in water at 20 °C: Non-applicable * Solubility properties: Non-applicable * Decomposition temperature: Non-applicable * Melting point/freezing point: Non-applicable * Flammability: Non-applicable * Flammability (solid, gas): Non-applicable * Autoignition temperature: Non-applicable * Autoignition temperature: Non-applicable * Lower flammability limit: Non-applicable * Upper flammability limit: Non-applicable * Upper flammability limit: Non-applicable * Upper flammability limit: Non-applicable * Median equivalent diameter: Non-applicable * Information: Information: Information: Information with regard to physical hazard classer		Kinematic viscosity at 20 °C:	Non-applicable *
pH: 7 - 8 Vapour density at 20 °C: Non-applicable * Partition coefficient n-octanol/water 20 °C: Non-applicable * Solubility in water at 20 °C: Non-applicable * Solubility properties: Non-applicable * Solubility properties: Highly water-soluble Decomposition temperature: Non-applicable * Melting point/freezing point: Non-applicable * Flammability: Non-applicable * Flammability: Non-applicable * Flammability (solid, gas): Non Flammable (>60 °C) Flammability (solid, gas): Non-applicable * Autoignition temperature: Non-applicable * Lower flammability limit: Non-applicable * Upper flammability limit: Non-applicable * Upper flammability limit: Non-applicable * Median equivalent diameter: Non-applicable * Information: Information:		Kinematic viscosity at 40 °C:	Non-applicable *
Vapour density at 20 °C: Non-applicable * Partition coefficient n-octanol/water 20 °C: Non-applicable * Solubility in water at 20 °C: Non-applicable * Solubility in water at 20 °C: Non-applicable * Solubility properties: Non-applicable * Decomposition temperature: Non-applicable * Melting point/freezing point: Non-applicable * Hamability: Non-applicable * Flammability: Non-applicable * Flammability (solid, gas): Non Flammable (>60 °C) Flammability (solid, gas): Non-applicable * Autoignition temperature: Non-applicable * Lower flammability limit: Non-applicable * Upper flammability limit: Non-applicable * Median equivalent diameter: Non-applicable * Information: Information: Information: Information with regard to physical hazard classes:		Concentration:	Non-applicable *
Partition coefficient n-octanol/water 20 °C: Non-applicable * Solubility in water at 20 °C: Non-applicable * Solubility properties: Non-applicable * Solubility properties: Highly water-soluble Decomposition temperature: Non-applicable * Melting point/freezing point: Non-applicable * Flammability: Non-applicable * Flammability: Non-applicable * Flammability (solid, gas): Non Flammable (>60 °C) Flammability (solid, gas): Non-applicable * Autoignition temperature: Non-applicable * Lower flammability limit: Non-applicable * Upper flammability limit: Non-applicable * Median equivalent diameter: Non-applicable * Median equivalent diameter: Non-applicable * Other information: Information: Information: Information:		pH:	7 - 8
Solubility in water at 20 °C: Non-applicable * Solubility properties: Highly water-soluble Decomposition temperature: Non-applicable * Melting point/freezing point: Non-applicable * Flammability: Non-applicable * Flammability: Non-applicable * Flammability (solid, gas): Non Flammable (>60 °C) Flammability (solid, gas): Non-applicable * Autoignition temperature: Non-applicable * Lower flammability limit: Non-applicable * Upper flammability limit: Non-applicable * Vulper flammability limit: Non-applicable * Median equivalent diameter: Non-applicable * Median equivalent diameter: Non-applicable * Information: Information:		Vapour density at 20 °C:	Non-applicable *
Solubility properties: Highly water-soluble Decomposition temperature: Non-applicable * Melting point/freezing point: Non-applicable * Flammability: Flammability: Flash Point: Non Flammable (>60 °C) Flammability (solid, gas): Non-applicable * Autoignition temperature: Non-applicable * Lower flammability limit: Non-applicable * Upper flammability limit: Non-applicable * Particle characteristics: Non-applicable * Median equivalent diameter: Non-applicable * Other information: Information with regard to physical hazard classes:		Partition coefficient n-octanol/water 20 °C:	Non-applicable *
Decomposition temperature: Non-applicable * Melting point/freezing point: Non-applicable * Flammability: Flammability: Flash Point: Non Flammable (>60 °C) Flammability (solid, gas): Non-applicable * Autoignition temperature: Non-applicable * Autoignition temperature: Non-applicable * Lower flammability limit: Non-applicable * Upper flammability limit: Non-applicable * Particle characteristics: Non-applicable * Median equivalent diameter: Non-applicable * 9.2 Other information: Information with regard to physical hazard classes: Image: Non-applicable *		Solubility in water at 20 °C:	Non-applicable *
Melting point/freezing point: Non-applicable * Flammability: Flammability: Flash Point: Non Flammable (>60 °C) Flammability (solid, gas): Non-applicable * Autoignition temperature: Non-applicable * Lower flammability limit: Non-applicable * Upper flammability limit: Non-applicable * Particle characteristics: Non-applicable * Median equivalent diameter: Non-applicable * 9.2 Other information: Information: Information:		Solubility properties:	Highly water-soluble
Flammability: Flash Point: Non Flammable (>60 °C) Flammability (solid, gas): Non-applicable * Autoignition temperature: Non-applicable * Lower flammability limit: Non-applicable * Upper flammability limit: Non-applicable * Particle characteristics: Non-applicable * Median equivalent diameter: Non-applicable * 9.2 Other information: Information: Information:		Decomposition temperature:	Non-applicable *
Flash Point: Non Flammable (>60 °C) Flammability (solid, gas): Non-applicable * Autoignition temperature: Non-applicable * Lower flammability limit: Non-applicable * Upper flammability limit: Non-applicable * Particle characteristics: Non-applicable * Median equivalent diameter: Non-applicable * 9.2 Other information: Information: Information:		Melting point/freezing point:	Non-applicable *
Flammability (solid, gas): Non-applicable * Autoignition temperature: Non-applicable * Lower flammability limit: Non-applicable * Upper flammability limit: Non-applicable * Particle characteristics: Non-applicable * Median equivalent diameter: Non-applicable 9.2 Other information: Information with regard to physical hazard classes:		Flammability:	
Autoignition temperature: Non-applicable * Lower flammability limit: Non-applicable * Upper flammability limit: Non-applicable * Particle characteristics: Non-applicable * Median equivalent diameter: Non-applicable 9.2 Other information: Information with regard to physical hazard classes:		Flash Point:	Non Flammable (>60 °C)
Lower flammability limit: Non-applicable * Upper flammability limit: Non-applicable * Particle characteristics: Non-applicable * Median equivalent diameter: Non-applicable 9.2 Other information: Information with regard to physical hazard classes:		Flammability (solid, gas):	Non-applicable *
Upper flammability limit: Non-applicable * Particle characteristics: Median equivalent diameter: Median equivalent diameter: Non-applicable 9.2 Other information: Information with regard to physical hazard classes:		Autoignition temperature:	
Particle characteristics: Median equivalent diameter: Non-applicable 9.2 Other information: Information with regard to physical hazard classes:		Lower flammability limit:	Non-applicable *
Median equivalent diameter: Non-applicable 9.2 Other information: Information with regard to physical hazard classes:			Non-applicable *
9.2 Other information: Information with regard to physical hazard classes:			
Information with regard to physical hazard classes:		·	Non-applicable
	9.2		
Explosive properties: Non-applicable *			
		Explosive properties:	Non-applicable *
Oxidising properties: Non-applicable *			
*Not relevant due to the nature of the product, not providing information property of its hazards.		*Not relevant due to the nature of the product, not providing in	formation property of its hazards.

Revised: 06/03/2023

Safety data sheet This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific

legislation

ORION/

ULTRA FOAM CAMELEON



SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continued) Corrosive to metals: Non-applicable * Heat of combustion: Non-applicable * Aerosols-total percentage (by mass) of flammable components: Non-applicable * Other safety characteristics: Surface tension at 20 °C: Surface tension at 20 °C: Non-applicable * Refraction index: Non-applicable * *Not relevant due to the nature of the product, not providing information property of its hazards.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

10.5 Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Not applicable	Not applicable	Avoid alkalis or strong bases

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO_2), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

- A- Ingestion (acute effect):
 - Acute toxicity : Based on available data, the classification criteria are not met, however, it contains substances classified
 - as dangerous for consumption. For more information see section 3.

- Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

B- Inhalation (acute effect):

- Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for inhalation. For more information see section 3.

- Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):

- Contact with the skin: Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for skin contact. For more information see section 3.

- Contact with the eyes: Produces eye damage after contact.





SECTION 11: TOXICOLOGICAL INFORMATION (continued)

- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
 - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.
 - IARC: Non-applicable
 - Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
 - Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- E- Sensitizing effects:
 - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.

- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

F- Specific target organ toxicity (STOT) - single exposure:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

- G- Specific target organ toxicity (STOT)-repeated exposure:
 - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
 - Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as
 - hazardous for this effect. For more information see section 3.
- H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

Other information:

Non-applicable

Specific toxicology information on the substances:

Identification	Ac	Acute toxicity	
Sulfonic acids, C14-17-sec-alkane, sodium salts	LD50 oral	1250 mg/kg	Rat
CAS: 97489-15-1	LD50 dermal	Non-applicable	
EC: 307-055-2	LC50 inhalation	Non-applicable	
tetrasodium ethylene diamine tetraacetate	LD50 oral	1700 mg/kg	Rat
CAS: 64-02-8	LD50 dermal	Non-applicable	
EC: 200-573-9	LC50 inhalation	Non-applicable	
Amines, C12-14 -alkyldimethyl , N-Oxides	LD50 oral	1064 mg/kg	Rat
CAS: 308062-28-4	LD50 dermal	Non-applicable	
EC: 931-292-6	LC50 inhalation	Non-applicable	

11.2 Information on other hazards:

Endocrine disrupting properties

Endocrine-disrupting properties: The product fails to meet the criteria.

Other information

Non-applicable

SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

12.1 Toxicity:

Acute toxicity:



Safety data sheet This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation



ULTRA FOAM CAMELEON

SECTION 12: ECOLOGICAL INFORMATION (continued)

Identification	Concentration		Species	Genus	
Sulfonic acids, C14-17-sec-alkane, sodium salts	LC50	15 mg/L (96 h)	Brachydanio rerio	Fish	
CAS: 97489-15-1	EC50	10 mg/L (48 h)	Daphnia magna	Crustacean	
EC: 307-055-2	EC50	120 mg/L (72 h)	Scenedesmus subspicatus	Algae	
tetrasodium ethylene diamine tetraacetate	LC50	121 mg/L (96 h)	Lepomis macrochirus	Fish	
CAS: 64-02-8	EC50	140 mg/L (48 h)	Daphnia magna	Crustacean	
EC: 200-573-9	EC50	Non-applicable			
Amines, C12-14 -alkyldimethyl , N-Oxides	LC50	3,5 mg/L (96 h)	Pimephales promelas	Fish	
CAS: 308062-28-4	EC50	10,4 mg/L (48 h)	Daphnia magna	Crustacean	
EC: 931-292-6	EC50	0,3 mg/L (72 h)	Selenastrum capricornutum	Algae	

Chronic toxicity:

Identification	Concentration		Species	Genus
Sulfonic acids, C14-17-sec-alkane, sodium salts	NOEC	Non-applicable		
CAS: 97489-15-1 EC: 307-055-2	NOEC	0,36 mg/L	Daphnia magna	Crustacean
tetrasodium ethylene diamine tetraacetate	NOEC	25,7 mg/L	Danio rerio	Fish
CAS: 64-02-8 EC: 200-573-9	NOEC	25 mg/L	Daphnia magna	Crustacean
Amines, C12-14 -alkyldimethyl , N-Oxides	NOEC	0,495 mg/L	Pimephales promelas	Fish
CAS: 308062-28-4 EC: 931-292-6	NOEC	0,7 mg/L	Daphnia magna	Crustacean

12.2 Persistence and degradability:

Substance-specific information:

Identification	Degradability		Biodegradability	
Sulfonic acids, C14-17-sec-alkane, sodium salts	BOD5	Non-applicable	Concentration	100 mg/L
CAS: 97489-15-1	COD	Non-applicable	Period	28 days
EC: 307-055-2	BOD5/COD	Non-applicable	% Biodegradable	78 %
Amines, C12-14 -alkyldimethyl , N-Oxides	BOD5	Non-applicable	Concentration	73 mg/L
CAS: 308062-28-4	COD	Non-applicable	Period	28 days
EC: 931-292-6	BOD5/COD	Non-applicable	% Biodegradable	90 %

12.3 Bioaccumulative potential:

Substance-specific information:

Identification	Bioaccumulation potential	
tetrasodium ethylene diamine tetraacetate	BCF	2
CAS: 64-02-8	Pow Log	-13
EC: 200-573-9	Potential	Low

12.4 Mobility in soil:

Identification	Absorption/desorption		Volatility	
tetrasodium ethylene diamine tetraacetate	Кос	1046	Henry	0E+0 Pa·m ³ /mol
CAS: 64-02-8	Conclusion	Low	Dry soil	No
EC: 200-573-9	Surface tension	Non-applicable	Moist soil	No
Amines, C12-14 -alkyldimethyl , N-Oxides	Кос	307	Henry	4E-9 Pa·m ³ /mol
CAS: 308062-28-4	Conclusion	Very High	Dry soil	No
EC: 931-292-6	Surface tension	Non-applicable	Moist soil	No

12.5 Results of PBT and vPvB assessment:

Product fails to meet PBT/vPvB criteria

12.6 Endocrine disrupting properties:

Endocrine-disrupting properties: The product fails to meet the criteria.

12.7 Other adverse effects:

Not described

SECTION 13: DISPOSAL CONSIDERATIONS



SECTION 13: DISPOSAL CONSIDERATIONS (continued)

13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)
	It is not possible to assign a specific code, as it depends on the intended use by the user	Non dangerous

Type of waste (Regulation (EU) No 1357/2014):

Non-applicable

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION

This product is not regulated for transport (ADR/RID,IMDG,IATA)

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: Non-applicable

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

Regulation (EC) No 648/2004 on detergents:

In accordance with this regulation the product complies with the following:

The tensoactives contained in this mixture comply with the biodegradibility criteria stipulated in Regulation (EC) $n^{0}648/2004$ on detergents. The information to prove this is available to the relevant authorities of the Member States and will be shown to them by direct request or the request of a detergent manufacturer.

Seveso III:

Non-applicable

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc):

Shall not be used in:

—ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

-tricks and jokes,

-games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

The product could be affected by sectorial legislation

legislation



ULTRA FOAM CAMELEON



SECTION 15: REGULATORY INFORMATION (continued)

- Regulation (EC) No 1223/2009 of the European Parliament and of the Council of 30 November 2009 on cosmetic products
- Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents
- Commission Regulation (EC) No 907/2006 of 20 June 2006 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, in order to adapt Annexes III and VII

- Commission Regulation (EC) No 551/2009 of 25 June 2009 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, in order to adapt Annexes V and VI thereto (surfactant derogation)

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.: Non-applicable

Texts of the legislative phrases mentioned in section 2:

H319: Causes serious eye irritation.

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

CLP Regulation (EC) No 1272/2008:

Acute Tox. 4: H302 - Harmful if swallowed.

Aquatic Acute 1: H400 - Very toxic to aquatic life.

Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.

Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.

Eye Dam. 1: H318 - Causes serious eye damage.

Skin Irrit. 2: H315 - Causes skin irritation.

Classification procedure:

Eye Irrit. 2: Calculation method

Advice related to training:

Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

Principal bibliographical sources:

http://echa.europa.eu http://eur-lex.europa.eu

Abbreviations and acronyms:

ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50

LC50: Lethal Concentration 50

EC50: Effective concentration 50

LogPOW: Octanolwater partition coefficient

Koc: Partition coefficient of organic carbon

UFI: unique formula identifier

IARC: International Agency for Research on Cancer

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.